



DOOR AND HARDWARE CATALOG

EFFECTIVE NOVEMBER 2025

FHI

FIRELANDS HARDWARE INC.

18 FORT MONROE PKWY
MONROEVILLE, OH 44847

PHONE: 888-321-7550

FAX: 419-465-3332

FIRELANDSHARDWARE.COM

SALES@FIRELANDSHARDWARE.COM



FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

PRODUCT INDEX

Access Door Controls	Page 20
Automatic Door Operators	Page 25
Caulk Sure	Page 40
Chinese Steel Doors and Frames	Page 38
Cylinders	Page 18
Deadbolts	Page 10
Door Bottoms	Page 32
Door Closers	Page 4
Door Sweeps	Page 30
Drip Edges	Page 28
Electronic Locksets	Page 11
Hinges	Page 17
Kick Plates and Push/Pull Plates	Page 16
Lite Kits and Glass	Page 32
Locksets	Page 8
Panic Devices	Page 12
Solid Wood Doors	Page 36
Steel Door Frames	Page 34
Steel Hollow Metal Doors	Page 33
Thresholds	Page 26
Trim Kits	Page 14
Vinyl Door Caps	Page 32
Weatherstripping Kits	Page 28

E-MAIL YOUR ORDERS TO
SALES@FIRELANDSHARDWARE.COM
OR FAX YOUR ORDERS TO: 419-465-3332

EARLY PAYMENT DISCOUNT

Orders of \$1,500 or more can deduct freight costs if invoice is paid in full within 30 days of invoice date.*

*Some restrictions apply. Call your sales rep for more details.

FINISH DEFINITIONS

US3: Polished Brass (605)

US4: Satin Brass (606)

US5: Antique Satin Brass (609)

US10B: Oil Rubbed Bronze (613)

US15: Satin Nickel (619)

US15A: Antique Satin Nickel (620)

US26: Polished Chrome (625)

US26D: Satin Chrome (626)

US32D: Stainless Steel (630)

AL: Aluminum (628)

DU: Duranodic (624)

LIMITED WARRANTY

Firelands Hardware Inc. warrants all products listed in this catalog free from defects in material and workmanship under normal use and service. Firelands Hardware Inc. agrees to repair or replace any product after inspection to be found with defects from workmanship or materials. Any products returned for warranty consideration will not be accepted without prior approval and an issued RGA (Returned Goods Authorization) number. All shipments back to Firelands Hardware Inc. will be prepaid by the purchaser within the specified warranty period. This limited warranty will not cover products found to be abused, altered, damaged, misused, cut or worn, or damaged from exposure to liquids or moisture or outdoor use. To the extent permitted by law, Firelands Hardware Inc. disclaims all other implied or express warranties including all warranties of merchantability and / or fitness for a particular purpose.

All products have a 1 year limited warranty unless otherwise specified in the catalog.

To make a warranty claim, please contact us at 1-888-321-7550.

LIMITATION OF LIABILITY

This limited warranty is your sole remedy and Firelands Hardware Incorporated shall not be liable for any damages, whether direct, indirect, incidental, special, consequential, exemplary, or otherwise, including lost revenues and lost profits, arising out of any theory of recovery, including statutory, contract, or tort. In no event will Firelands Hardware Incorporated's entire liability exceed the purchase price of this product. Some states, provinces, and territories do not allow the exclusion or limitation of incidental or consequential damages or a limitation on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state, province to province, and territory to territory.

ABOUT US

Firelands Hardware Inc. takes its name from the region in Ohio in which it is located. During the Revolutionary War, many Connecticut residents were burned from their homes when the British raided that area. To compensate them for their losses, the State of Connecticut granted those residents half a million acres of the "Western Reserve," an area Connecticut claimed from its colonial charter. Those early settlers receiving grants of land were called "Fire Sufferers" and the area they settled was referred to as "The Firelands."

Thank you for viewing our catalog. If you have any questions on our product line, please contact us at 888-321-7550. We look forward to hearing from you!

Your hollow metal door and hardware supplier,

FIRELANDS HARDWARE INC.





FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000



DC41 DOOR CLOSER

- Similar to the LCN 4041
- ANSI A 156.4 grade 1 certified
- Heavy duty cast iron body; forged steel arm
- Adjustable size 1 through 6
- Barrier free operation
- Non-handed
- Adjustable closing and latching speed
- Standard tri-packed for regular arm, top jamb and parallel arm application
- Standard packing including sex nuts and bolts
- Full plastic cover is standard feature
- Full cover: Aluminum (AL), Duranodic (DU)
- Full Plastic Cover
- 10 Year Warranty

\$234.00 EACH



TECHNICAL DIMENSIONS

DESCRIPTION


- A. Length of Closer Body
- B. Horizontal Mounting Holes
- C. Vertical Mounting Holes
- D. Closer Body Height
- E. Projection From Door
- F. Arm Shoe Spacing Holes

DIMENSIONS

- 11"
- 1" CTC
- 2 1/4" CTC
- 2 3/4"
- 2"
- 1 15/16" CTC

INSTALLATION DIMENSIONS

OPENING	'A'	'B'
TO 100"	7-5/16" (185)	11-13/16" (300)
TO 130"	6-1/4" (159)	10-13/16" (275)





DPRA41

Drop Plate Regular Arm Mount

Available Finish: AL/DU

Required for hinge side mount when top rail is less than 3 3/4." Plate requires 2" minimum top rail.

\$52.50 EACH



DPG41

Drop Plate-Low Clearance

Available Finish: AL/DU

For use when ceiling clearance prevents normal top jamb mounting. For use when overhead door holder prevents normal top jamb mounting.

\$52.50 EACH



DPTJ41

Drop Plate-Top Jamb Mount

Available Finish: AL/DU

Required for top jamb when frame face is less than 3 1/2." Plate requires 1 3/4" minimum frame face. For use with plastic cover.

\$52.50 EACH




DPPA41

Drop Plate-Parallel Arm Mount

Available Finish: AL/DU

Required for parallel arm when top rail is less than 5 1/2", measured from the top. Plate requires 2" minimum top rail.

\$52.50 EACH




DCCA-41

Cush Stop Arm

Available Finish: AL/DU

\$90.00 EACH



DCHA-41

Cush Stop Hold Open Arm

Available Finish: AL/DU

\$90.00 EACH

DCSB175

Sex Bolt

Maximum extension: 2.25"

Available Finish: AL/DU

\$6.00 EACH





FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

DC50 DOOR CLOSER

- Similar to the Norton 1600
- Factory tested to meet or exceed ANSI A 156.4 Grade 1
- ADA Compliant
- Cast aluminum body; forged steel arm
- Tri-packed for regular arm, top jamb, and parallel arm application included
- Adjustable power, from size 1-4, with adjustable back check function
- Full plastic cover included
- Standard packing including sex nuts and bolts



\$132.00 EACH

Dimension Model No.:	Dimension "A"		Opening Angle
	Inch	mm	
DC1050	6	152	120°
	3-1/2	89	180°


TECHNICAL DIMENSIONS

DESCRIPTION

- A. Length of Closer Body
- B. Horizontal Mounting Holes
- C. Vertical Mounting Holes
- D. Closer Body Height
- E. Projection From Door
- F. Arm Shoe Spacing

DIMENSIONS

- 9 3/4"
- 9 1/16" CTC
- 3/4" CTC
- 1 13/16"
- 2 3/4"
- 1 3/4" CTC





DPPA50

3 1/2" Tall Drop Plate

Available Finish: AL/DU

\$45.00 EACH



DPTJ50

2 9/16" Tall Narrow Drop Plate

Available Finish: AL/DU

\$45.00 EACH



DCCA50

Cush Stop Arm

Available Finish: AL/DU

\$90.00 EACH



DCHA50

Cush Stop Hold Open Arm

Available Finish: AL/DU

\$90.00 EACH



FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

GRADE 1 LOCKSETS

- 6 pin "C" Keyway
- ANSI Strike 4 7/8" x 1 1/4"
- 2 3/4" Backset
- 1 3/8" - 2" Doors
- UL Latch 1/2" Throw
- Fixed Thru bolts
- Non-Handed Clutch Lever
- 2 3/8" Latch Sold Separately



PART NUMBER	FINISH	FUNCTION	CYLINDER/CORE	LIST PRICE
1000-CLARE-11-26D	26D	Entry	Standard	\$192.00 Each
1000-CLARE-11-10B	10B	Entry	Standard	\$192.00 Each
1000-CLARE-11-US3	US3	Entry	Standard	\$192.00 Each
1000-CLARE-11-IC-26D	26D	Entry	SFIC	\$192.00 Each
1000-CLARE-11-IC-US3	US3	Entry	SFIC	\$192.00 Each
1000-CLARE-12-26D	26D	Storeroom	Standard	\$192.00 Each
1000-CLARE-12-10B	10B	Storeroom	Standard	\$192.00 Each
1000-CLARE-12-US3	US3	Storeroom	Standard	\$192.00 Each
1000-CLARE-12-IC-26D	26D	Storeroom	SFIC	\$192.00 Each
1000-CLARE-12-IC-US3	US3	Storeroom	SFIC	\$192.00 Each
1000-CLARE-17-26D	26D	Classroom	Standard	\$204.00 Each
1000-CLARE-17-10B	10B	Classroom	Standard	\$204.00 Each
1000-CLARE-17-US3	US3	Classroom	Standard	\$204.00 Each
1000-CLARE-17-IC-26D	26D	Classroom	SFIC	\$204.00 Each
1000-CLARE-17-IC-US3	US3	Classroom	SFIC	\$204.00 Each
1000-CLARE-02-26D	26D	Privacy	N/A	\$168.00 Each
1000-CLARE-02-10B	10B	Privacy	N/A	\$168.00 Each
1000-CLARE-02-US3	US3	Privacy	N/A	\$168.00 Each
1000-CLARE-01-26D	26D	Passage	N/A	\$168.00 Each
1000-CLARE-01-10B	10B	Passage	N/A	\$168.00 Each
1000-CLARE-01-US3	US3	Passage	N/A	\$168.00 Each

2 3/8" LATCHES

PART NUMBER	DESCRIPTION	FINISH	LIST PRICE
GR1-238-DL-26D	Grade 1, 2 3/8 Dead Latch	26D	\$22.50 Each
GR1-238-SL-26D	Grade 1, 2 3/8 Spring Latch	26D	\$22.50 Each
GR2-238-DL-26D	Grade 2, 2 3/8 Dead Latch	26D	\$22.50 Each
GR2-238-SL-26D	Grade 2, 2 3/8 Spring Latch	26D	\$22.50 Each

ALL PRICES IN CATALOG SUBJECT TO CHANGE WITHOUT NOTICE

GRADE 2 LOCKSETS



- 6 pin "C" Keyway
- ANSI Strike 4 7/8" x 1 1/4"
- 2 3/4" Backset
- 1 3/8" - 2" Doors
- UL Latch 1/2" Throw
- Removable Thru Bolts
- 2 3/8" Latch Sold Separately

PART NUMBER	FINISH	FUNCTION	CYLINDER/CORE	LIST PRICE
2000-CLARE-11-26D	26D	Entry	Standard	\$130.80 Each
2000-CLARE-11-10B	10B	Entry	Standard	\$130.80 Each
2000-CLARE-11-US3	US3	Entry	Standard	\$130.80 Each
2000-CLARE-11-IC-26D	26D	Entry	SFIC	\$130.80 Each
2000-CLARE-11-IC-US3	US3	Entry	SFIC	\$130.80 Each
2000-CLARE-12-26D	26D	Storeroom	Standard	\$130.80 Each
2000-CLARE-12-10B	10B	Storeroom	Standard	\$130.80 Each
2000-CLARE-12-US3	US3	Storeroom	Standard	\$130.80 Each
2000-CLARE-12-IC-26D	26D	Storeroom	SFIC	\$130.80 Each
2000-CLARE-12-IC-US3	US3	Storeroom	SFIC	\$130.80 Each
2000-CLARE-17-26D	26D	Classroom	Standard	\$142.80 Each
2000-CLARE-17-10B	10B	Classroom	Standard	\$142.80 Each
2000-CLARE-17-US3	US3	Classroom	Standard	\$142.80 Each
2000-CLARE-17-IC-26D	26D	Classroom	SFIC	\$142.80 Each
2000-CLARE-17-IC-US3	US3	Classroom	SFIC	\$142.80 Each
2000-CLARE-02-26D	26D	Privacy	N/A	\$118.80 Each
2000-CLARE-02-10B	10B	Privacy	N/A	\$118.80 Each
2000-CLARE-02-US3	US3	Privacy	N/A	\$118.80 Each
2000-CLARE-01-26D	26D	Passage	N/A	\$118.80 Each
2000-CLARE-01-10B	10B	Passage	N/A	\$118.80 Each
2000-CLARE-01-US3	US3	Passage	N/A	\$118.80 Each

MORTISE LOCKSETS

- Heavy duty commercial mortise lock, all bolts are stainless steel.
- UL listed 3 Hour Fire Rating with ANSI A156.13 Grade 1 specs.
- The lock case has a dimension of 5/8" (92mm) center cylinder to spindle, which enables the lock to retrofit most manufacturers' mortise locks, with little-to-no modification to the drill hole of door, offering for replacement capabilities.



PART NUMBER	FUNCTION	FINISH	LIST PRICE
ML-11-32D	Entry	32D	\$595.00 Each
ML-17-32D	Classroom	32D	\$579.00 Each
ML-12-32D	Storeroom	32D	\$579.00 Each



FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

COMMERCIAL DEADBOLTS

- Schlage C Keyway
- 6 pin
- ANSI Strike 1 1/8" x 2 3/4"
- 2 3/4" Backset
- 1 3/8" - 2" Doors
- UL Latch 1" Throw
- 2 3/8" Latch Sold Separately



PART NUMBER	DESCRIPTION	FINISH	LIST PRICE
101-234-26D	Grade 1 Single Cylinder Deadbolt	26D	\$104.00 each
101-234-US3	Grade 1 Single Cylinder Deadbolt	US3	\$104.00 each
102-234-26D	Grade 1 Double Cylinder Deadbolt	26D	\$129.00 each
102-234-US3	Grade 1 Double Cylinder Deadbolt	US3	\$129.00 each
101-IC-234-26D	Grade 1 Single IC Deadbolt	26D	\$129.00 each
201-234-26D	Grade 2 Single Cylinder Deadbolt	26D	\$72.00 each
201-234-US3	Grade 2 Single Cylinder Deadbolt	US3	\$75.00 each
202-234-32D	Grade 2 Double Cylinder Deadbolt	32D	\$89.00 each
202-234-US3	Grade 2 Double Cylinder Deadbolt	US3	\$91.00 each
201-IC-234-26D	Grade 2 Single IC Deadbolt	26D	\$99.00 each

ELS5200 BASIC KEYCODE OPERATED ELECTRONIC LOCKSET

- Brushed Steel Finish
- Key override: Yes, 6-Pin C keyway
- Cylinder Type 1: Screw cap style key in lever cylinders (ILCO, GMS, Medeco etc.)
- Cylinder Type 2: IC available
- Non-handed
- Powered by 4 x AA cells
- 200,000 Power Cycles
- 8mm (5/16") spring loaded spindle
- Suitable for internal and external use
- ANSI Grade 2 Lockset
- Can store up to 80 different User Codes and 10 one-time User Codes.
- No software needed.



Indication the code is correct are illuminated blue LED lights. The key override function may be used to set the lock into passage mode so that anyone can open the door without using a code. Passage Mode can also be programmed at the keypad using the Master Code. No software needed.

\$1,237.50 LIST

ELECTRIFIED CYLINDRICAL LOCKSETS 1000-CLARE-12-FS-26D

- FS = Failed Secured
- 6 pin "C" Keyway
- ANSI Strike 4 7/8" x 1 1/4"
- 2 3/4" Backset
- 1 3/8" - 2" Doors
- UL Latch 1/2" Throw
- Fixed Thrubolts
- Non-Handed Clutch Lever
- 2 3/8" Latch sold separately
- 12-24 volts AC/DC
- 250 mA
- Rex Switch included
- Storeroom Function
- 1 Year Electronic Warranty



\$995.00 LIST



FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

GRADE ONE COMMERCIAL EXIT DEVICES



- Usage: Universal mount for use in institutions, schools, universities, and commercial buildings or where reliable operation is needed
- Body Material: Rail assemblies are heavy gauge steel, stamped steel chassis with multiple mounting holes for easy installation
- Feature: Full size steel (Panic Grade) and steel construction for (Fire Grade) allows for through-bolt of trim and retrofit of device to popular footprint
- Thickness: Fits 25" to 36" door (model available to fit up to 48" door). Non-handed for use on right or left opening doors, for vertical rod 36" x 84" or 48" x 96" available
- Options: Can be used with various trim including rim cylinder with pull handle, cylindrical keyed lever, escutcheon keyed lever, escutcheon keyed thumb-latch or door pull, passage or dummy
- Included: Complete installation kit; latch-bolt strike, shims, fasteners, strike plates, mounting templates and easy instructions
- Classification: ANSI A156.3, Grade 1 exit device available in surface mount rim and vertical rod designs. 8600 Series Vertical Rod devices available for doors
- 36" x 84" or 48" x 96" Latch bolt with $\frac{3}{4}$ " throw with dead-latch feature
- Sizing: For Doors $1\frac{3}{4}$ " standard.



PART NUMBER	DESCRIPTION	FINISH	LIST PRICE
PDR-5500-36-AL	Aluminum Rim Panic - 36"	AL	\$295.00 Each
PDR-5500-36-32D	Stainless Steel Rim Panic - 36"	32D	\$475.00 Each
PDR-5500-36-32D-CD	Stainless Steel Rim Panic with Cylinder Dogging - 36"	32D	\$595.00 Each
PDR-5500-48-32D	Stainless Steel Rim Panic - 48"	32D	\$649.00 Each
PDR-8500-36-32D	Stainless Steel Rim Panic - 36" Fire Rated	32D	\$595.00 Each
PDVR-5600-36-32D	Stainless Steel Surface Vertical Rod Panic - 36"	32D	\$749.00 Each
KR7100x8	Non Fire Rated Key Removable Mullion	USP	\$1237.50 Each
KR7200x8	Fire Rated Key Removable Mullion	USP	\$1237.50 Each



PDR-1000-36-32D

- Usage: Institutions, schools, universities, and commercial buildings or where heavy-duty reliable operation is required.
- Body Material: Rail assemblies are heavy duty extruded aluminium construction rail, cast chassis with multiple mounting holes, with stainless steel push pad and caps made of stainless steel.
- Thickness: Fits 25" to 36" door (model available to fit up to 48" door). Non-handed for use on right or left opening doors.
- Classification: ANSI A156.3, Grade 1 heavy duty exit device in surface mount rim and vertical rod designs.
- Options: Can be used with various trim including rim cylinder with pull handle, Cylindrical keyed lever, escutcheon keyed lever, escutcheon keyed thumb-latch or door pull, passage or dummy.
- Included: Complete installation kit; latch-bolt strike, shims, fasteners, strike plates, mounting templates and easy instructions.

\$659.00 LIST

GRADE 1 MORTISE EXIT DEVICE PDM-7700-36-32D



- Usage: Institutions, schools, universities, and commercial buildings or where heavy-duty reliable operation is required.
- Body Material: Rail assemblies are heavy duty nonferrous alloy chassis with multiple mounting holes, with stainless steel push pad and caps made of stainless steel.
- Thickness: for 1.75" thick doors. Fits doors prepared for ANSI standard A115.1. Comes in RHR and LHR handing options for convenience.
- Classification: ANSI A156.3, Grade 1 heavy duty mortise exit device.
- Trim: Works with the MESC-7700-26D escutcheon trim (sold separately) on page 15.
- Included: Complete installation kit; standard wood and machine screws, mounting templates and easy instructions.

\$989.00 LIST



FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

TRIM KITS

Heavy duty commercial set covers a standard 2.165" bore hole door prep. Packaged with mounting hardware, instructions, and 3 keys (keys in entry function only).

Finish: 26D or 10B, Rosette Diameter: 3.35", Lever Length: 5.2", Lever Projection: 2.67", ADA Compliant, Non Handed



PART NUMBER	FUNCTION	LIST PRICE
2012-TR	Storeroom	\$147.50 Each
2012-IC-TR	Storeroom IC	\$172.50 Each
2001-TR	Passage	\$138.80 Each
2017-TR	Classroom	\$147.50 Each


ETK5200 BASIC KEYCODE OPERATED ELECTRONIC TRIM KIT

- Brushed Steel Finish
- Key override: Yes, 6-Pin C keyway
- Cylinder Type 1: Screw cap style key in lever cylinders (ILCO, GMS, Medeco etc.)
- Cylinder Type 2: Small Format Interchangeable Core (IC) available
- Non-handed
- Powered by 4 x AA cells
- 200,000 Power Cycles
- 8mm (5/16") spring loaded spindle
- Suitable for internal and external use
- Latch Type: 5000 Series Heavy Use or Panic Device
- ANSI Grade 2 Control Trim
- Can store up to 80 different User Codes and 10 one-time User Codes.
- No software needed.

Indication the code is correct are illuminated blue LED lights. The key override function may be used to set the lock into passage mode so that anyone can open the door without using a code. Passage Mode can also be programmed at the keypad using the Master Code. No software needed. The lock is equipped with two port terminals that may be wired to have a release button and/or tie into alarm controls.




ETK5200
\$562.50 LIST



GRADE 1 TRIM KITS


- Grade 1, thrubolted design, non handed, easy field reversible
- Hardened steel heavy duty tailpiece.
- Available for fire and non fire rated rim and vertical rod exit devices.
- Keyed functions in C keyway, 1-1/8 mortise cylinder.
- Door thickness 1-3/4". Fits and covers 2-1/8" 161 cutout.
- Escutcheon dimensions: 2-5/16" width x 8-1/2" length x 24-3/4".



PART NUMBER	DESCRIPTION	FINISH	LIST PRICE
NESC5500-26D	Escutcheon Trim Kit - Entrance Function	26D	\$249.00 Each
NESC5530-26D	Escutcheon Trim Kit - Passage Function	26D	\$219.00 Each
NESC5505-26D	Escutcheon Trim Kit - Storeroom Function	26D	\$249.00 Each
THP5500-26D	Thumbpiece Trim Kit - Entrance Function	26D	\$192.00 Each
THP5530-26D	Thumbpiece Trim Kit - Passage Function	26D	\$179.00 Each
THP5505-26D	Thumbpiece Trim Kit - Storeroom Function	26D	\$192.00 Each

GRADE 1 MORTISE TRIM MESC-7700-26D

- Grade 1, thrubolted and non-handed design; easily field reversible.
- Double heavy duty spring support to prevent sagging and enhance operation
- Rigid, non-clutch mechanism
- Heavy duty hardened-steel tailpiece
- Standard 6-pin C Keyway
- Entrance function: key locks or unlocks lever ANSI Function - 63
- Escutcheon dimensions: 2" width x 8" length. Lever length: 4.75"
- Works with our Grade 1 Mortise Exit Device (PDM-7700-36-32D) on page 13.



\$319.00 LIST



FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

KICK PLATES, PULL PLATES, AND DOOR ACCESSORIES



DJ-1455



DJ-UDV-180



DJ-7015

PART NUMBER	DESCRIPTION	FINISH	LIST PRICE
KP-834-630	8" x 34" Kick Plate	630	\$70.00 Each
KP-1034-630	10" x 34" Kick Plate	630	\$95.00 Each
AP-3034-630	30" x 34" Armor Plate	630	\$295.00 Each
DJ-70-630	3 1/2" x 15" Push Plate	630	\$30.00 Each
DJ-71-630	4" x 16" Push Plate	630	\$32.00 Each
DJ-7015-630	3 1/2" x 15" Pull Plate	630	\$96.00 Each
DJ-7015-CFC-630	3 1/2" x 15" Pull Plate with 1 1/4" hole	630	\$106.00 Each
DJ-7015-CFK-630	3 1/2" x 15" Pull Plate with 2 1/8" hole	630	\$106.00 Each
DJ-7115-630	4" x 16" Pull Plate	630	\$96.00 Each
DJ-1407-630	2 1/2" diameter concave wrought Wall Bumper with 1" projection	630	\$7.00 Each
DJ-1406-630	2 1/2" diameter convex wrought Wall Bumper with 1 1/8" projection	630	\$7.00 Each
DJ-1450-626	Door Stop	626	\$47.50 Each
DJ-1455-626	4" Projection Door Holder	626	\$22.50 Each
DJ-1465-626	Door Holder	626	\$47.50 Each
DJ-1555-626	Flush Bolt with 3/4" Bolt Throw, 3/4" Rod Backset, 12" Rod length	626	\$45.00 Each
DJ-PLP-111-630	3" x 11" Pin Latch Protectors for outswinging doors	630	\$54.00 Each
DJ-WSLP-104-630	Latch Protector for a Cylindrical Lock	630	\$112.50 Each
DJ-ULDV-180-626	UL Door Viewer	626	\$22.50 Each
DJ-CC-100	Crash Chain	N/A	\$12.50 Each
DJ-HDCC3012	30.5" Heavy Duty Crash Chain	626	\$65.00 Each
HRP-1-LHR	Hinge Reinforcing Pivot for a LHR Opening	N/A	\$50.00 Each
HRP-1-RHR	Hinge Reinforcing Pivot for a RHR Opening	N/A	\$50.00 Each
DJ-1540-CP	Pull Chain with Bolt	N/A	\$45.00 Each
DJ-1580-626	UL 8" Surface Bolt	626	\$60.00 Each
DJ-1581-626	UL 12" Surface Bolt	626	\$62.50 Each

BUTT HINGES

- 4 1/2" x 4 1/2"
- Square Corners
- .134" Thick
- Packed with Machine and Wood Screws
- 3 Hinges per Set
- 16 Sets per Case



STEEL BUTT HINGES

PART NUMBER	DESCRIPTION	FINISH	LIST PRICE
S45USP	Plain Bearing	USP	\$19.20 per set of 3
S45BBUSP	2 Ball Bearing	USP	\$21.60 per set of 3
S45BBUSPNRP	2 Ball Bearing / NRP	USP	\$24.00 per set of 3
S4526D	Plain Bearing	26D	\$21.60 per set of 3
S45BB26D	2 Ball Bearing	26D	\$25.20 per set of 3
S45BB26DNRP	2 Ball Bearing / NRP	26D	\$26.40 per set of 3
SS45BB32DNRP	2 Ball Bearing / NRP	32D	\$68.00 per set of 3

SPRING HINGES

PART NUMBER	DESCRIPTION	FINISH	LIST PRICE
SH4526D	Plain Bearing	26D	\$21.60 Each

ALUMINUM CONTINUOUS GEAR HINGES

Other sizes available, call for quote.

PART NUMBER	LENGTH	FINISH	DESCRIPTION	LIST PRICE
SL-11-SD-C-83	83"	Clear	Full Concealed - Standard Duty	\$208.75 Each
SL-11-SD-D-83	83"	Dark Bronze	Full Concealed - Standard Duty	\$253.75 Each
SL-11-HD-C-83	83"	Clear	Full Concealed - Heavy Duty	\$241.25 Each
SL-11-HD-D-83	83"	Dark Bronze	Full Concealed - Heavy Duty	\$311.25 Each
SL-21-SD-C-83	83"	Clear	Full Surface Swing Clear- Standard Duty	\$298.75 Each
SL-21-SD-D-83	83"	Dark Bronze	Full Surface Swing Clear- Standard Duty	\$371.25 Each
SL-53-HD-C-83	83"	Clear	Half Surface - Heavy Duty	\$352.50 Each
SL-53-HD-D-83	83"	Dark Bronze	Half Surface - Heavy Duty	\$452.50 Each
SL-57-SD-C-83	83"	Clear	Full Surface - Standard Duty	\$291.25 Each
SL-57-SD-D-83	83"	Dark Bronze	Full Surface - Standard Duty	\$371.25 Each
SL-57-HD-C-83	83"	Clear	Full Surface - Heavy Duty	\$360.00 Each
SL-57-HD-D-83	83"	Dark Bronze	Full Surface - Heavy Duty	\$415.00 Each





FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

AVAILABLE KEYWAYS

- AW (Arrow)
- CB (Corbin 60)
- CL4 (Corbin L4)
- KW (Kwikset)
- RD1 (Russwin D1)
- SA (Sergeant LA)
- RA (Sergeant RA)
- SC (Schlage C)
- SX (Schlage C-K)
- SCE (Schlage E)
- WR (Weiser E)
- YA (Yale 8)
- YGA (Yale GA)

KNOB / LEVER / DB CYLINDER - K001

- Solid Brass
- Precision Depths & Spacing
- 2 Keys
- Drilled 6
- Pinned 5 (some pinned 6)
- Packed with 5 tailpieces
- Finish: US4, 26D



\$30.00 EACH

RIM CYLINDER - R118

- Solid Brass
- Precision Depths & Spacing
- 2 Keys
- Drilled 6
- Pinned 5 (some pinned 6)
- 1 1/8"
- Finish: US3, US10B, US26D



\$30.00 EACH

MORTISE CYLINDER

- Solid Brass
- Precision Depths & Spacing
- 2 Keys
- Drilled 6
- Pinned 5
- Available in 1", 1 1/8", and 1 1/4"
- Cam: Standard, Adams Rite, Cloverleaf, Schlage L, Sergeant/Yale, Segal
- Finish: US3, US10B, US26D



\$27.60 EACH

MORTISE CYLINDER DUMMY

- M100D 1"
- M118D 1/18"
- M114D 1 1/4"
- Solid Brass
- Finish: US3, US10B, US26D



\$19.20 EACH

MORTISE THUMB TURN

- Solid Brass
- Finish: US3, US10B, US26D
- Cam: Standard, Adams Rite, Cloverleaf, Schlage L, Sergeant/Yale, Segal



PART NUMBER	DESCRIPTION	LIST PRICE
M100T	1" Available in Adams Rite Cam	\$19.20 Each
M118T	1 1/8" Available in Adams Rite & Standard Cam	\$20.40 Each
M114T	1 1/4" Available in Standard Cam	\$21.60 Each

INTERCHANGEABLE CORE - IC7 (SFIC)

- Solid Brass
- 7 Pin
- Uncombined
- Keyways: Best A, B, C, D, E, F, G, H, J, K, L, M
- Finish: US4, US26D

\$24.00 EACH



SFIC HOUSINGS

- Solid Brass
- Finish: US3, US10B, US26D



PART NUMBER	DESCRIPTION	LIST PRICE
ICH138	1 3/8" Mortise Housing	\$38.40 Each
ICH114	1 1/4" Mortise Tapered Housing	\$40.80 Each
ICH114R	1 1/4" Rim Housing	\$42.00 Each



SFIC KEY BLANK - ICKB

- Solid Brass
- Precision Depths & Spacing
- Keyways: Best A, B, C, D, E, F, G, H, J, K, L, M
- Finish: BR (Brass), NP (Nickel Plated), NS (Nickel Silver)

\$3.00 EACH





FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000


MAP1 MODULAR ACCESS PANEL

The MAP1 Modular Access Panel is totally self-contained and puts support for 4 doors and 100,000 users in the palm of your hand. It utilizes a powerful quad core processor, is network ready and contains 27 status LEDs making it simple to commission and maintain. The MAP1 is factory provisioned for 2 or 4 doors and can be field upgraded from 2 to 4 doors by simply purchasing a new provisioning code. When you are ready to upgrade, all you will have to add is readers and locks. You only pay for what you need!

2 DOOR SYSTEM: \$1,767.50 LIST

4 DOOR SYSTEM: \$3,142.50 LIST

PRODUCT FEATURES	MAP1
Doors	2 or 4
Onboard Network TCP/IP	Yes
Self-contained	Yes
Audit Buffer (transactions)	10,000
Facility Codes (FC)	Unlimited
Card Capacity	100,000 with any FC or ID
Multiple Credentials Per User	Yes - 5 (FA and CloudACS only)
Binary Wiegand Support	ANY format up to 64 bits
37-bit Cansec Support	Yes
26-bit Support	Yes
Corporate 1000 - 35/48-bit	Yes
Onboard Auto Void/Validate	Yes
Schedule Time Resolution	1 Minute
Access Schedules	256
Unlock Schedules	4
Output Schedules	8 (If provisioned as I/O board)
Shunt Schedules	8 (If provisioned as I/O board)
Manual Shunt	Yes (If provisioned as I/O board)
Scheduled Commands	Yes
Low/High 12V DC Power Warning	Yes



Dimensions	4.624" (L) x 4.88" (H) x 2" (D) [117 mm (L) x 124 mm (H) x 51 mm (D)]
Dimensions With Mounting Flange	5.625" (L) x 4.88" (H) x 2" (D) [143 mm (L) x 124 mm (H) x 51 mm (D)]
Weight	500 g (17.6 oz.)
Operating Temperature	0°C to 60°C [32°F to 140°F]
Power Requirement	12 VDC / 1A [Max. Current (including 4 proximity readers with 100 mA each)]
Warranty	5 years

MAP2 MODULAR ACCESS PANEL

The MAP2 Modular Access Panel is totally self-contained and puts support for up to 8 doors and 100,000 users. It utilizes a powerful quad core processor, is network ready and contains status LEDs making it simple to commission and maintain. The MAP2 is factory provisioned for 2, 4, 6, or 8 doors and can be field upgraded up to a maximum of 8 doors by simply purchasing a new provisioning code. When you are ready to upgrade, all you will have to add is readers and locks. You only pay for what you need!


2 DOOR SYSTEM: \$2,830.00 LIST

4 DOOR SYSTEM: \$3,767.50 LIST

6 DOOR SYSTEM: \$4,705.00 LIST

8 DOOR SYSTEM: \$5,642.50 LIST

PRODUCT FEATURES	MAP2
Doors	2, 4, 6 or 8
Onboard Network TCP/IP	Yes
Self-contained	Yes
Audit Buffer (transactions)	10,000
Facility Codes (FC)	Unlimited
Card Capacity	100,000 with any FC or ID
Multiple Credentials Per User	Yes - 5 (FA and CloudACS only)
Binary Wiegand Support	Up to 64 bits
37-bit Cansec Support	Yes
26-bit Support	Yes
Corporate 1000 - 35/48-bit	Yes
Onboard Auto Void/Validate	Yes
Schedule Time Resolution	1 Minute
Access Schedules	256
Unlock Schedules	4
Output Schedules	16 (If provisioned as I/O board)
Shunt Schedules	16 (If provisioned as I/O board)
Manual Shunt	Yes (If provisioned as I/O board)
Scheduled Commands	Yes
Low/High 12V DC Power Warning	Yes



Dimensions	7" (L) x 7" (W) [18 cm (L) x 18 cm (W)]
Dimensions With Enclosure	13" (W) x 19" (H) x 3.5" (D)
Weight	300 g (10.7 oz.) Enclosure: 4.3 kg (9.6 lb)
Operating Temperature	-20°C to 60°C [-4°F to 140°F]
Power Requirement	12 VDC / 1.5 A [Max. Current (including 8 proximity readers with 100 mA each)]
Warranty	5 years



FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

MAP MINI MODULAR ACCESS PANEL

The MAP MINI Modular Access Panel is totally self-contained and puts support for 1 door and 100,000 users in the palm of your hand.


There are many benefits to using the same MAP MINI building block for Webster. One of the biggest is that users can easily move between solutions as their needs change.

\$1,055.00 LIST

PRODUCT FEATURES	MAP MINI
Doors	1
Onboard Network TCP/IP	Yes
Self-contained	Yes
Audit Buffer (transactions)	10,000
Facility Codes (FC)	Unlimited
Card Capacity	100,000 with any FC or ID
Multiple Credentials Per User	Yes - 5 (FA and CloudACS only)
Binary Wiegand Support	Up to 64 bits
37-bit Cansec Support	Yes
26-bit Support	Yes
Corporate 1000 - 35/48-bit	Yes
Onboard Auto Void/Validate	Yes
Schedule Time Resolution	1 Minute
Access Schedules	256
Unlock Schedules	1
Output Schedules	2 (If provisioned as I/O board)
Shunt Schedules	2 (If provisioned as I/O board)
Manual Shunt	Yes (If provisioned as I/O board)
Scheduled Commands	Yes
Low/High 12V DC Power Warning	Yes

Dimensions	4.6" (W) x 3.35" (H) x 1.4" (D) [11.6 cm (W) x 8.5 cm (H) x 3.5 cm (D)]
Weight	183 g [6.5 oz.]
Operating Temperature	0°C to 60°C [32°F to 140°F]
Power Requirement	12 VDC / 1 A [Max. Current (including a proximity readers with 100 mA)]
Warranty	5 years

TYPICAL CONFIGURATION



WEBSTER FIRMWARE FOR MAP CONTROLLERS

The MAP MINI, MAP1 and MAP2 controllers can be provisioned with Webster firmware to create a total access control solution. Just plug the controller into a wired LAN connection and use the web browser on your computer or phone to setup and manage your system. No software to install.

We get it, customers can change their minds at the flip of a switch – What they want today, they don't want tomorrow. If your customer outgrows their Webster MAP MINI or MAP1 unit, our Webster Trade-In Credit Program will allow you to return your existing Webster unit to receive a credit on your account of 50% of what you paid for it, no matter when you bought it. No time limits. No questions asked. No fine print. Just lots and lots of easy.

As a bonus, the Webster MSM App allows you to easily manage multiple Webster sites. As a bonus, the Webster MSM App allows you to easily manage multiple Webster sites.

- Simple to install and operate. Minimal end-user training required
- Provides the functionality of a full PC--based access control system
- Manage from the web browser on your computer or phone
- Backed by an industry leading 5 year warranty
- Simple setup utility included
- NOTE – Only one MAP controller per system

**FREE WITH MAP1, MAP2,
AND MAP MINI DEVICES**



FEATURES	MAP WEBSTER
Readers for MAP MINI	1
Readers for MAP1	2/4
Readers for MAP2	2/4/6/8
Onboard Network TCP/IP	Yes
Self-contained	Yes
Audit Buffer (transactions)	200,000
Facility Codes (FC)	Unlimited
Card Capacity	5,000 with any FC or ID
Cansec 37-bit	Yes
Standard 26-bit	Yes
Corporate 1000 -35/48-bit	Yes
Auto Void/Validate	Yes
Schedule Time Resolution	1 Minute
Access Schedules	255
Unlock Schedules	2/4/6/8
Holiday Periods (From - To)	40
Simultaneous Operators	10
Daylight Saving Time	Yes
Unlock Privilege	Yes
First Man Rule	Yes
Door Operator Output	Yes
Access Profiles	Unlimited
File Export	Yes
Scheduled Command	Yes
NEW - Webster MSM App	Yes



FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

PROX1 READER FOR MAP PRODUCTS

PROX1 Multi-Mount Proximity Reader offers the flexibility of both door mullion or wall mounting in a single reader solution. The reader mounts on a standard door mullion but also comes with an attractive adapter plate that allows mounting on a single-gang electrical box. This innovative design eliminates the need for two separate reader models.

- Up to 5" [130mm] read range
- Mullion or wall mount
- Comes with wall adapter plate
- LED and beeper
- Wiegand output
- Certain HID® and AWID® 125 kHz proximity protocols supported
- Indoor/Outdoor
- Lifetime warranty



\$251.75 LIST

EBB-MAP ENCLOSURE AND BATTERY BACKUP FOR MAP PRODUCTS

12/24 VDC selectable output, 4 A Enclosure Style Power Supply with Backup Battery Charger. Eight individual class 2 power limited outputs rated at 2.5 A. Input 120 VAC, 60 Hz, 3.5 A. UL listed.

\$431.00 LIST



AUTOMATIC DOOR OPERATOR WITH RETURN SPRING, FOR PEDESTRIAN SWING DOORS

- Power supply of 120V ~ 50/60 Hz low energy operation
- Built-in battery backup.
- Working system opens with motor, closing by spring
- Durable for at least 1,000,000 cycles
- Max. opening speed of 50°/second with an adjustable automatic closing time from 0 - 60 seconds
- May be used for doors up to 48" wide
- Multiple arm options
- Max. opening angle of push arm: 115°
- Max. opening angle of slide track arm: 95°
- Dimensions: 28.8" x 5.1" x 4.3"
- Non handed



ADO-200-AL
\$3,495.00 LIST





FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

HEAVY DUTY THRESHOLDS



- Mill Finish
- Supplied with zinc plated screws #10 and plastic anchors
- Available in 1/2" and 1/4" rises
- Available in 4", 5", and 6" widths
- 8" width available with a 1/2" rise only
- ADA compliant



1/4 INCH RISE THRESHOLDS

	425HD-AL	525HD-AL	625HD-AL
36"	\$38.00 List	\$51.00 List	\$70.00 List
48"	\$51.00 List	\$68.00 List	\$98.00 List
72"	\$76.00 List	\$102.00 List	\$140.00 List

*Custom lengths available. Call for details.

1/2 INCH RISE THRESHOLDS


	450HD-AL	550HD-AL	650HD-AL	850HD-AL
36"	\$56.00 List	\$56.00 List	\$70.00 List	\$90.00 List
48"	\$68.00 List	\$75.00 List	\$98.00 List	\$120.00 List
72"	\$105.00 List	\$109.00 List	\$139.00 List	\$180.00 List

*Custom lengths available. Call for details.

587 THRESHOLDS

Heavy duty threshold (.150" thick) in a mill finish. Comes supplied with #10 x 11/2 screws and anchors, plus additional screws for pre-install thresholds to a hollow metal frame, replacing the need for spreader bars.

PART NUMBER	LENGTH	LIST PRICE
587HD-AL-36	36"	\$75.00 Each
587HD-AL-48	48"	\$104.00 Each
587HD-AL-72	72"	\$140.00 Each



CUSTOM THRESHOLD NOTCHING

Now available on all thresholds. Volume Runs subject to additional discounts on notching services. Call and speak to a sales rep for more details and information.


\$10.00 PER THRESHOLD

THRESHOLD STOPS

Mill finish, drilled and countersunk, with #63/4" Tek screws included.

*Custom lengths available. Call for details.

PART NUMBER	LENGTH	LIST PRICE
TS-AL-36	36"	\$17.20 Each
TS-AL-48	48"	\$22.45 Each
TS-AL-72	72"	\$33.00 Each






FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

DRIP EDGES

Comes in a mill finish, drilled and countersunk, with #6 7/16" Tek screws included. Custom lengths available.




PART NUMBER	LENGTH	LIST PRICE
DE-AL-36	40"	\$24.00 Each
DE-AL-48	52"	\$33.00 Each
DE-AL-72	76"	\$45.00 Each

ADHESIVE WEATHERSTRIPPING

Self adhesive door gasket with a silicone tear drop design for a quick and easy installation. Kit includes an alcohol wipe for frame prep. Custom lengths available.

ADHESIVE WEATHERSTRIPPING		
AWS-08	8 Feet	\$13.00 Each
AWS-17	17 Feet	\$31.00 Each
AWS-19	19 Feet	\$36.00 Each
AWS-21	21 Feet	\$41.00 Each



ADD TAPE TO WEATHERSTRIPPING KITS

We will add double-sided adhesive tape to the entire length of each piece of your weatherstripping kit as we build and assemble each kit. Adhesive tape makes the installation process that much easier and efficient. A great add-on for large jobs and busy schedules.

\$1.25 PER FOOT


TAPE ROLL

Double-sided adhesive tape for weatherstripping and door sweeps. 210 feet of tape per roll.

TAPE-1	\$60.00 List
--------	--------------

FIRELANDS WEATHERSTRIPPING KITS

Product is punched on 11" center with slotted holes for adjustment. Made with EPDM, a synthetic rubber and an elastomer that has the ability to perform in a wide range of applications and performs better than Vinyl PVC.



- Resilience: Very Good
- Resistance to Fatigue: Very Good
- Resistance to Weathering: Excellent
- Service Temperature Range -75* to 350* F
- Chemical Resistance: Excellent
- Solvent Resistance: Excellent
- Supplied with #6 7/16 Tek screws.
- *Custom lengths available. Call for details.


PART NUMBER	LIST PRICE
WS-3070-AL	\$40.00 Each
WS-4070-AL	\$43.00 Each
WS-6070-AL	\$47.00 Each
WS-3070-DU	\$71.00 Each
WS-4070-DU	\$75.00 Each
WS-6070-DU	\$85.00 Each

45 DEGREE WEATHERSTRIPPING KITS


High Quality filament fused to a continuous base to provide a consistent brush barrier. Slotted holes for adjustment. Ideal for low closing force applications.

Supplied with #6 7/16 Tek screws.

*Custom lengths available. Call for details.



PART NUMBER	LIST PRICE
WS4550-3070-AL	\$89.00 Each
WS4550-4070-AL	\$91.00 Each
WS4550-6070-AL	\$102.00 Each
WS4550-3070-DU	\$103.00 Each
WS4550-4070-DU	\$109.00 Each
WS4550-6070-DU	\$116.00 Each



PART NUMBER	LIST PRICE
WS4575-3070-AL	\$87.00 Each
WS4575-4070-AL	\$94.00 Each
WS4575-6070-AL	\$102.00 Each
WS4575-3070-DU	\$108.00 Each
WS4575-4070-DU	\$112.00 Each
WS4575-6070-DU	\$121.00 Each



FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

FIRELANDS DOOR SWEEPS



Firelands Hardware's Brush Door Sweep is the convenient, money saving alternative to traditional metal-back brush seals. Made of rugged yet lightweight and pliable materials, resistant to corrosion and chemicals, with a homogenous bond between the backing material and the filament. Our upgraded sweep option, the DSV, ensures a secure seal and a barrier against smoke, air infiltration, and extreme weather. A single durable EPDM rubber insert provides an excellent seal.

Supplied with #6 7/16 Tek screws.

*Custom lengths available. Call for details.



PART NUMBER	LENGTH	FINISH	EPDM INSERT	LIST PRICE
DSV-AL-36	36"	AL	Yes	\$22.00 Each
DSV-AL-48	48"	AL	Yes	\$29.00 Each
DSV-AL-84	84"	AL	Yes	\$54.00Each
DSV-AL-96	96"	AL	Yes	\$65.00 Each
DS-AL-36	36"	AL	No	\$18.00 Each
DS-AL-48	48"	AL	No	\$24.00 Each
DS-AL-84	84"	AL	No	\$45.00 Each
DS-AL-96	96"	AL	No	\$54.00 Each
DSV-DU-36	36"	DU	Yes	\$31.00 Each
DSV-DU-48	48"	DU	Yes	\$37.00Each
DSV-DU-84	84"	DU	Yes	\$70.00 Each
DSV-DU-96	96"	DU	Yes	\$82.00 Each
DS-DU-36	36"	DU	No	\$26.00 Each
DS-DU-48	48"	DU	No	\$34.00 Each
DS-DU-84	84"	DU	No	\$64.00 Each
DS-DU-96	96"	DU	No	\$76.00 Each



HOODED DOOR SWEEPS


Firelands Hardware's Hooded Brush Door Sweep is the convenient, money-saving alternative to traditional metal-back brush seals. Made of rugged, yet lightweight and pliable materials, resistant to corrosion and chemicals, with a homogenous bond between the backing and the filament. Firelands Hardware's new large weatherblock weatherseal ensure a secure seal and barrier against smoke, air infiltration, and extreme weather. A single durable EPDM rubber insert provides and excellent seal.

Supplied with #6 7/16 Tek screws.


DSH= Regular Hooded Door Sweep

DSVH= Hooded Door Sweep with EPDM insert

*Custom lengths available. Call for details.



PART NUMBER	LENGTH	FINISH	EPDM INSERT	LIST PRICE
DSVH-CL-36	36"	CL	Yes	\$30.00 Each
DSVH-CL-48	48"	CL	Yes	\$37.00 Each
DSH-CL-36	36"	CL	No	\$28.00 Each
DSH-CL-48	48"	CL	No	\$33.00 Each
DSVH-AL-36	36"	AL	Yes	\$27.00 Each
DSVH-AL-48	48"	AL	Yes	\$32.00 Each
DSH-AL-36	36"	AL	No	\$23.00 Each
DSH-AL-48	48"	AL	No	\$28.00 Each
DSVH-DU-36	36"	DU	Yes	\$32.00 Each
DSVH-DU-48	48"	DU	Yes	\$38.00 Each
DSH-DU-36	36"	DU	No	\$28.00 Each
DSH-DU-48	48"	DU	No	\$33.00 Each



TPV RUBBER FIN DOOR SWEEP

Introducing our DSR-CL TPV Rubber Fin Door Sweep, designed for durability and performance. Housed in a corrosion- and chemical-resistant clear anodized aluminum alloy 6063, it features a black Santoprene Thermoplastic Vulcanizate (TPV) seal known for its excellent abrasion resistance, tensile strength, and shape memory. The sweep stands up to moisture, ozone, sunlight, and aging, with a wide temperature tolerance from -60°F to 275°F. For easy installation, it comes slotted for both screws and tape and includes Tek screws. Standard lengths are 36" and 48", with custom sizes available upon request.



PART NUMBER	LENGTH	FINISH	LIST PRICE
DSR-CL-36	36"	CL	\$21.00 Each
DSR-CL-48	48"	CL	\$41.00 Each



FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000


VINYL DOOR CAPS

An easy solution in protector door core on exterior doors. Our Vinyl Door Caps prevent rain from falling into the top door channel. Will fit a 3/4 door with an inverted channel.

Custom sizes available.



PART NUMBER	LENGTH	LIST PRICE
VDC-AL-36	36"	\$43.20 Each
VDC-AL-48	48"	\$57.60 Each




ALUMINUM DOOR BOTTOM

Our aluminum door bottom includes two rows of 1/2" brush with an EPDM insert for an extra tight seal for when you absolutely need to block water, dirt, rodents, and light. Comes in a mill finish of 6063 T6 Alloy, with Tek screws for installation.

Custom sizes available upon request.

PART NUMBER	LENGTH	LIST PRICE
DB-AL-36	36"	\$38.00 Each
DB-AL-48	48"	\$50.00 Each




ALUMINUM LITE KITS

Our Aluminum Lite Kits come with 0.05 extruded aluminum, mitered and welded corners, and counter-sunk mounting screw-holes. Glass sold separately.

Custom sizes available upon request.

PART NUMBER	EXPOSED GLASS	LIST PRICE
LK-10x10-AL	10" x 10"	\$90.00 Each
LK-05x20-AL	5" x 20"	\$102.00 Each
LK-22x28-AL	22" x 28"	\$192.00 Each



LAMINATED GLASS

PART NUMBER	DIMENSIONS	LIST PRICE
LG-10x10	11" x 11"	\$120.00 Each
LG-05x20	6" x 21"	\$120.00 Each
LG-24x30	23" x 29"	\$460.00 Each

PYRAN F FIRE GLASS

PART NUMBER	DIMENSIONS	LIST PRICE
PYRAN-10x10	11" x 11"	\$120.00 Each

HOLLOW METAL STEEL DOORS

Firelands Hardware hollow metal doors are engineered for strength, security, and long-term performance—perfect for commercial, industrial, and institutional settings. Constructed from 18-gauge galvanized steel with either a honeycomb or polystyrene core, they offer durability, energy efficiency, and reliable function. As a labeled shop, we can provide fire-rated and code-compliant doors, and customize each unit to meet your exact job specifications. Our stock sizes are prepped to match Steelcraft hinge and lock locations.

NEED A CUSTOM SIZE OR HINGE AND LOCK LOCATIONS?

We can make our doors and frames to your specifications—contact us for a quote today.



HONEYCOMB DOORS

LS18-3068-161-HC	\$872.50 List
LS18-3068-86-HC	\$897.50 List
LS18-3068-RP-HC	\$900.00 List
LS18-3070-161-HC	\$872.50 List
LS18-3070-86-HC	\$897.50 List
LS18-3070-RP-HC	\$900.00 List
LS18-2670-RP/86/161*	\$989.00 List
LS18-2870-RP/86/161*	\$989.00 List
LS18-3670-RP/86/161*	\$1,049.00 List
LS18-4070-RP/86/161*	\$1,329.00 List

*Universal Doors now in stock.

POLYSTYRENE INSULATED DOORS

LS18-3068-161-POLY-REV	\$1,489.00 List
LS18-3068-86-POLY	\$1,569.00 List
LS18-3070-161-POLY	\$1,489.00 List
LS18-3070-86-POLY	\$1,559.00 List
LS18-3070-RP-POLY-REV	\$1,489.00 List
LS18-4070-161-POLY	\$1,595.00 List

UNDERSTANDING OUR PART NUMBERS

All of Firelands Hardware's door part numbers follow the patterns below:

Gauge-Dimensions-Door Prep-Core Type-Handing

Note: handing not shown in part numbers listed.

DOOR PREP OPTIONS

86 is a mortise lock prep with a door edge prep of 11/4" x 8" with a pocket depth of 4 1/2".

161 is a cylindrical lock prep with a 2 1/8" hole at 23/4" backset with a door edge prep of 11/8" x 2 1/4".

RP is a full slab door reinforced for rim panic devices.

HOW TO READ & WRITE DOOR DIMENSIONS

Door and frame dimensions are listed as one number following this pattern: door width in feet then inches and door height in feet then inches. For example, a 3070 door is for an opening that is 3'0" wide and 7'0" tall. A 3068 door is for an opening that is 3'0" wide and 6'8" tall.



FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

STOCK STEEL DOOR FRAMES

Firelands Hardware steel door frames are built for strength, precision, and ease of installation—perfect for commercial and industrial projects. Manufactured from high-quality 16-gauge steel, our frames are available in welded or knock-down configurations and can be customized to fit your exact wall conditions and specifications. As a labeled shop, we offer fire-rated options and custom prep to match hardware requirements, including Steelcraft hinge and strike locations. Whether for masonry, drywall, or specialty applications, our frames provide a solid foundation for lasting performance.

NEED A CUSTOM SIZE OR CUSTOM HINGE AND LOCK LOCATIONS?

We can make our door frames to your specifications—contact us for a quote today.



UNDERSTANDING OUR PART NUMBERS

All of Firelands Hardware's steel frame part numbers follow the patterns below:

For the Masonry (JD) Frames:
 Gauge-Jamb Depth-Dimensions-Rating-Handing

For the Drywall (DW) Frames:
 Gauge-Throat Width-Dimensions-Rating-Handing

Note: handing not shown in part numbers listed.

HOW TO READ & WRITE THE JAMB DEPTH OR THE THROAT WIDTH FOR YOUR FRAME

Jamb depth and throat width follow the same pattern in part numbers. If your jamb depth or throat width are XYZ that means that it is X^Y/_Z". In this respect a JD16-3070-534 masonry frame has a jamb depth of 53/4" and a DW16-3070-458 drywall frame has a throat width of 45/8".

*KD stands for Knock Down, which is an unassembled frame.

MASONRY FRAMES


All our masonry frames are 16 gauge KD*, closer reinforced, and A40 galvanneal with Steelcraft hinge locations.

JD16-534-2670	\$422.50 List
JD16-534-2870	\$422.50 List
JD16-534-3070	\$422.50 List
JD16-634-3070	\$447.50 List
JD16-734-3070	\$469.00 List
JD16-534-3670	\$509.00 List
JD16-534-3068	\$422.50 List
JD16-534-4070	\$469.00 List
JD16-534-6070	\$479.00 List

DRYWALL FRAMES

All our drywall frames are 16 gauge KD*, closer reinforced, and A40 galvanneal with Steelcraft hinge locations.

DW16-458-3070-3HR	\$419.00 List
DW16-478-3070-3HR	\$419.00 List
DW16-458-3068-3HR	\$419.00 List
DW16-478-3068-3HR	\$419.00 List



STEEL FRAME ADD-ONS

Anchors & Bolts Kit- Masonry	\$60.00 List
JD-534-36-4HEAD	\$100.00 List

DOOR & FRAME PREP SERVICES

Frame Welding	\$60.00 List
Prime Coat - Door	\$60.00 List
Prime Coat - Frame	\$30.00 List
Punch and Dimple (Set of 6)	\$60.00 List
Drill and Cap (Set of 6)	\$60.00 List
Deadbolt Prep - Door	\$100.00 List
Deadbolt Prep - Frame	\$75.00 List
Electric Strike in Frame*	\$100.00 List
Hardware Template on Door*	\$150.00 List


*Services based on customer supplied template.

GET IT FIRE RATED


90 Min. Fire Rating - Frame	\$50.00 List
3 Hour Fire Rating - Frame	\$50.00 List
90 Min. Fire Rating - Door*	\$100.00 List
3 Hour Fire Rating - Door*	\$100.00 List

*Includes a tack welded seam.

Typical Drywall Frame Profile



Typical Masonry Frame Profile




STOCK DOORS AND FRAMES HINGE AND LOCK LOCATIONS

Use the graphic on the right as a reference while reviewing the table below.

7'0" HINGE AND LOCK LOCATIONS				
MFG	A	B	C	E
FIRELANDS	7 3/8"	39 5/16"	71 1/4"	43 9/16"
STEELCRAFT	7 3/8"	39 5/16"	71 1/4"	43 9/16"

6'8" HINGE AND LOCK LOCATIONS				
MFG	A	B	C	E
FIRELANDS	7 3/8"	37 5/16"	67 1/4"	39 9/16"
STEELCRAFT	7 3/8"	37 5/16"	67 1/4"	39 9/16"





FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

CHINESE STEEL DOORS AND FRAMES

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



SPECS

- Stocked size: 3'0"x7'0", 3'0"x6'8"
- Max size: 4'0"x8'0"
- Surface finish: primed, color optional
- Door skin: 18 gauge galvanized steel sheet
- Door thickness: 1 3/4"
- Door edge: non-handed design for square edge, handed design for beveled edge
- Undercut: 3/4"
- Undersizing=1/8 at top of the door and along both sides.
- Door core: 1 lbs insulated polystyrene
- Top and bottom channels: 16 gauge galvanized steel sheet, flush top channel, inverted bottom channel
- Reversible hinge shim: 25 gauge steel
- Closer reinforcement: 14 gauge galvanized steel sheet, double side welded
- Hinge reinforcements: non handed, 7 gauge, quantity of 3 per door
- Lock reinforcement to be provided for 161, rim panic, and 86 lock preps
- Steelcraft hinge and lock locations

FEATURES

- Fire label: 3 Hour Warnock Hersey fire label
- Flush top and inverted bottom channels for additional stability and protection
- Visible seam edge provides stable structure, interlock
- Electrostatic auto Wager sprayer painting to ensure smooth surface
- 86 Edge doors come with Rim Panic reinforcements built in.
- Universal cylindrical lock prep
- Hinge adjustment Screws

DOOR AND FRAME STANDARDS

- CAN / ULC S104 (2015) (R2020), UL 10(b) (2008) (R2020),
- UL 10(c) (2016) Ed. 3 (R:27 May 2021), NFPA 252 (2022)



TOUGH, TESTED, AND READY TO INSTALL: RELIABLE STEEL DOORS AND FRAMES AT A GREAT VALUE


Our steel doors and frames from China offer solid performance, clean design, and dependable fire-rated protection—all at a great value. Made with 18-gauge galvanized steel and a 1 lb insulated polystyrene core, these doors are built to last. They come primed and ready to paint, with sizes stocked in 3'0"x7'0" and 3'0"x6'8". Reinforced in all the right places—hinges, locks, closers, and more—they meet major fire and safety standards including a 3-hour Warnock Hersey label. With clean edges, smooth finishes, and Steelcraft hinge and lock locations, these doors are ready for quick installation and long-term durability in commercial applications.

CHINESE STEEL DOORS

CD-3068-161	\$500.00 List
CD-3068-86	\$550.00 List
CD-3070-161	\$500.00 List
CD-3070-86	\$550.00 List



CHINESE STEEL FRAMES

CF-534-3068-LH	\$300.00 List
CF-534-3068-RH	\$300.00 List
CF-534-3070-LH	\$300.00 List
CF-534-3070-RH	\$300.00 List
CF-534-30-4HEAD	\$140.00 List



CORE DETAILS

161 PREP DETAILS



FHI

FIRELANDS HARDWARE, INC.
FAMILY OWNED & OPERATED
HARDWARE MANUFACTURER
SINCE 2000

CORE:

Solid core in particleboard

STILES:

Edge banded options in softwood, lipping in solid wood or softwood edge banded or PVC

THICKNESS:

Nominal 1-3/4"

SLAB SIZE:

Stocked in 3070, 3080, and 3068



TESTED:

- (2015), UL 10 (c) (2016), UL 10 (b) (R2015), NFPA 252 (2017).
- Acoustic testing and classification of the slab according to: ASTM E413-16
- Approved for Positive and Neutral pressure regimes Tested to WDMA TM-7 Heavy Duty and TM-10 Extra Heavy Duty performance level.
- Door preparations in accordance with NFPA 80 Category B – Additional edge sealing required

FINISHES

Plain Sliced Red Oak - PSRO

Plain Sliced White Birch - PSWB

GLAZING OPTIONS

Listed metal vision kits with listed ceramic glazing or wood bead vision Kit, with matching finish and a listed temperature resistant glazing, for applications without hose steam only.

Maximum clear glazing Area = 1,531 sq. in | width = 25" | height = 61-1/4" Multiple lights are permitted provided maximum area/ dimensions are not exceeded

KEY

- 1 - Solid core
- 2 - Double rails in softwood
- 3 - Stiles in softwood
- 4 - MDF or Hardboard
- 5 - Door finish

Note: Depending on product features or configurations, dimensions will vary. As we are constantly improving our product range, we reserve the right to make changes without prior notice.

SOLID WOOD DOORS

Our wood doors are built tough and made to perform. With a solid core and heavy-duty construction, they're designed to handle the demands of commercial use without sacrificing style. Choose from warm, natural finishes like Plain Sliced Red Oak or Plain Sliced White Birch, and customize with vision kits and glazing to suit your project. Whether you need durability, acoustic performance, or fire-rated confidence, these doors deliver. Stocked in standard sizes and ready for whatever you throw at them—plus, we've got custom options if you need something specific.



FR20



STC 33

Acoustic Door Panel



The mark of
responsible forestry

Recycled content, all series FSC Certified wood



PLAIN SLICED RED OAK

PSRO-3068	\$687.50 List
PSRO-3070	\$687.50 List
PSRO-3080	\$795.00 List
PSRO-3070-45MIN	\$987.50 List
PSRO-3070-90MIN	\$1,322.50 List

PLAIN SLICED WHITE BIRCH

PSWB-3068	\$675.00 List
PSWB-3070	\$675.00 List
PSWB-3070-45MIN	\$965.00 List

MEDIUM DENSITY OVERLAY

MDO-3070	\$465.00 List
----------	---------------

WOOD DOOR PREP SERVICES

161 W/TB	\$40.00 List
86 Prep	\$62.50 List
Clear Finish	\$200.00 List
Stain Finish*	\$300.00 List
Lite Cutout (Kit not included)	\$125.00 List

*Finish samples available upon request.

- Single Component RTV
- Great for interior and exterior sealing
- Will not sag or slump
- Excellent tooling properties
- Can be painted/top coated in 1 hour
- Excellent weathering properties
- Joint movement +/- 25%
- No shrinking or cracking
- Resists dirt pickup
- UV and mold/mildew resistant
- Applies vertically and overhead
- Safe to use indoors - no odor
- No solvents (50-state VOC compliant)
- No special tools or mixing
- Durable, long-lasting seal
- Bonds to a variety of substrates without priming

TECHNICAL INFORMATION

- Appearance: Textured paste
- Application Temperature: -10°F to 160°F
Service Temperature: -30°F to 200°F
- Adhesion: Excellent to most common building materials
- Consistency: Non-sag, non-slump
- Gunning Ability: Easily gunned at all temperatures
- Durability: +/- 25% joint movement
- Water Resistance: Good. Not recommended for joints continuously submerged under water
- Exterior Weathering: Very good
- Aging: Very good
- Not Recommended: For structural glazing applications or where abrasion and physical abuse are encountered
- Freeze-Thaw Stable: Will not freeze
Odor: Low odor (<1% VOC)
- Skin Time: 15 - 45 minutes (77°F/50% relative humidity)
- Cure Through Time: 5-7 days (77°F/50% relative humidity)



DISCONTINUED
AVAILABLE WHILE SUPPLIES LAST

Our supplier recently revised the formula for this product, and it no longer meets our standards. We're in the process of finding a new source to match the original quality. A limited quantity of the original product is still in stock—once it's gone, it's gone.

We apologize for any inconvenience and appreciate your understanding as we work to source a suitable replacement.

PART NUMBER	DESCRIPTION	LIST PRICE
CS-WHITE	1 Bottle in White	\$20.75
CS-BROWN	1 Bottle in Dark Brown	\$20.75
CS-WHITE-CASE	12 Bottles in White	\$225.00
CS-BROWN-CASE	12 Bottles in Dark Brown	\$225.00

